



Westinghouse

INNOVATION YOU CAN BE SURE OF

Consumer Guide

Inverter Generator Comparison

			
	Westinghouse iGen1200	Honda EU10i	Yamaha EF1000iS
Engine Displacement	54 cc	49 cc	50 cc
Rated Electrical Output	1,000 Watts	900 Watts	900 Watts
Maximum Electrical Output	1,200 Watts	1,000 Watts	1,000 Watts
Rated AC Electrical Voltage	240 Volts	240 Volts	230 Volts
240 Volt AC Socket Outlets	1	1	1
240 Volt AC Overload Reset	Engine Restart	Engine Restart	Engine Restart
12 Volt DC Cig. Lighter Socket	Yes	No	No
USB Fast Charger Socket	Yes	No	No
Digital Hour Meter	Yes	No	No
Single-Sided Control Access	No	No	Yes
Dimensions L x W x H	46 x 26 x 40 cm	45 x 24 x 38 cm	45 x 24 x 38 cm
Weight (Dry)	15 kg	13 kg	12.7 kg
Fuel Tank Capacity	2.8 Litres	2.1 Litres	2.5 Litres
Fuel Level Gauge	No	No	No
Fuel Shutoff Valve	Yes	Yes	Yes
Run Time @ 225 Watts	9 Hours	8 Hours	12 Hours
Run Time @ 900 Watts	4.5 Hours	4 Hours	Not Stated
Noise Level @ 225 Watts (7 m)	52 dB(A)	52 dB(A)	47 dB(A)
Noise Level @ 900 Watts (7 m)	58 dB(A)	58 dB(A)	57 dB(A)
Warranty (Domestic Use) *	2 Years	4 Years ^Δ	4 Years
Warranty (Commercial Use) *	1 Year	1 Year	1 Year
Recommended Retail Price	\$1,059	\$1,599	\$1,799

* Conditions apply.

Δ To qualify, the generator must be serviced for the entire warranty period by an authorised dealer.

Source: Manufacturers' websites as at 16 January 2023.

2023-01-16

Power - when you need it - where you need it

westinghouseoutdoorpower.com.au



Westinghouse

INNOVATION YOU CAN BE SURE OF

Consumer Guide

Inverter Generator Comparison

	 Westinghouse iGen2200	 Westinghouse 2400i	 Honda EU22i	 Yamaha EF2000iS
Engine Displacement	79 cc	79 cc	121 cc	79 cc
Rated Electrical Output	1,800 Watts	2,100 Watts	1,800 Watts	1,600 Watts
Maximum Electrical Output	2,200 Watts	2,400 Watts	2,200 Watts	2,000 Watts
Rated AC Electrical Voltage	240 Volts	240 Volts	240 Volts	230 Volts
240 Volt AC Socket Outlets	1	2	2	1
240 Volt AC Overload Reset	Engine Restart	Push Button	Engine Restart	Engine Restart
12 Volt DC Cig. Lighter Socket	No	Yes	No	No
USB Fast Charger Socket	Yes	No	No	No
Digital Hour Meter	Yes	Yes	No	No
Single-Sided Control Access	No	Yes	No	Yes
Dimensions L x W x H	50 x 29 x 45 cm	50 x 34 x 44 cm	51 x 29 x 43 cm	49 x 28 x 45 cm
Weight (Dry)	21 kg	20 kg	21 kg	20 kg
Fuel Tank Capacity	4.3 Litres	5 Litres	3.6 Litres	4.4 Litres
Fuel Level Gauge	No	Yes	No	Yes
Fuel Shutoff Valve	Yes	Yes	Yes	Yes
Run Time @ 400 Watts	10 Hours #	16 Hours	8 Hours #	10.5 Hours
Run Time @ 1,600 Watts	5 Hours ^	5 Hours	4 Hours ^	4.2 Hours
Noise Level @ 400 Watts (7 m)	52 dB(A)	52 dB(A)	Not Stated	51.5 dB(A)
Noise Level @ 1,600 Watts (7 m)	61 dB(A)	61 dB(A)	Not Stated	61 dB(A)
Warranty (Domestic Use) *	2 Years	2 Years	4 Years ^Δ	4 Years
Warranty (Commercial Use) *	1 Year	1 Year	1 Year	1 Year
Recommended Retail Price	\$1,299	\$1,599	\$2,349	\$2,349

* Conditions apply. # @ 450 Watts. ^ @ 1,800 Watts.

Δ To qualify, the generator must be serviced for the entire warranty period by an authorised dealer.

Source: Manufacturers' websites as at 16 January 2023.

2023-01-16

Power - when you need it - where you need it

westinghouseoutdoorpower.com.au



Westinghouse

INNOVATION YOU CAN BE SURE OF

Consumer Guide

Inverter Generator Comparison

				
	Westinghouse iGen2500	Westinghouse iGen2600	Honda EU22i	Yamaha EF2200iS
Engine Displacement	98 cc	98 cc	121 cc	79 cc
Rated Electrical Output	2,200 Watts	2,200 Watts	1,800 Watts	1,800 Watts
Maximum Electrical Output	2,500 Watts	2,600 Watts	2,200 Watts	2,200 Watts
Rated AC Electrical Voltage	240 Volts	240 Volts	240 Volts	230 Volts
240 Volt AC Socket Outlets	1	2	2	2
240 Volt AC Overload Reset	Engine Restart	Engine Restart	Engine Restart	Push Button
12 Volt DC Cig. Lighter Socket	No	No	No	Yes
USB Fast Charger Socket	Yes	No	No	No
Digital Hour Meter	Yes	Yes †	No	No
Digital Multifunction Display	No	Yes	No	No
Single-Sided Control Access	No	No	No	No
Dimensions L x W x H	50 x 29 x 45 cm	55 x 31 x 48 cm	51 x 29 x 43 cm	56 x 30 x 47 cm
Weight (Dry)	21.5 kg	22.5 kg	21 kg	25 kg
Fuel Tank Capacity	4.3 Litres	5 Litres	3.6 Litres	4.7 Litres
Fuel Level Gauge	No	Yes †	No	Yes
Fuel Shutoff Valve	Yes	Yes	Yes	Yes
Run Time @ 400 Watts	9 Hours #	11 Hours #	8 Hours #	10.5 Hours #
Run Time @ 1,600 Watts	4.5 Hours ^	5.5 Hours ^	4 Hours ^	Not Stated
Noise Level @ 400 Watts (7 m)	52 dB(A)	52 dB(A)	Not Stated	57 dB(A) #
Noise Level @ 1,600 Watts (7 m)	61 dB(A)	61 dB(A)	Not Stated	65 dB(A) ^
Warranty (Domestic Use) *	2 Years	2 Years	4 Years Δ	4 Years
Warranty (Commercial Use) *	1 Year	1 Year	1 Year	1 Year
Recommended Retail Price	\$1,699	\$1,799	\$2,349	\$2,499

* Conditions apply. # @ 450 Watts. ^ @ 1,800 Watts. † Data Center display.

Δ To qualify, the generator must be serviced for the entire warranty period by an authorised dealer.

Source: Manufacturers' websites as at 16 January 2023.

2023-01-16

Power - when you need it - where you need it

westinghouseoutdoorpower.com.au



Westinghouse

INNOVATION YOU CAN BE SURE OF

Consumer Guide

Inverter Generator Comparison

			
	Westinghouse iGen4500s	Honda EU30is	Yamaha EF3000iSE
Engine Displacement	224 cc	196 cc	171 cc
Electric Start with Remote Control	Yes	No	No
Auto Choke	Yes	No	No
Rated Electrical Output	3,700 Watts	2,800 Watts	2,800 Watts
Maximum Electrical Output	4,500 Watts	3,000 Watts	3,000 Watts
Rated AC Electrical Voltage	240 Volts	240 Volts	230 Volts
240 Volt AC Socket Outlets	2	2	2
240 Volt AC Overload Reset	Push Button	Engine Restart	Engine Restart
12 Volt DC Cig. Lighter Socket	Yes	No	No
USB Fast Charger Socket	Yes	No	No
Digital Multifunction Display	Yes	No	No
Wheels	Yes	No	Yes
Dimensions L x W x H	65 x 48 x 52 cm	66 x 45 x 56 cm	68 x 45 x 56 cm
Weight (Dry)	49.5 kg	59 kg	67 kg
Fuel Tank Capacity	13.5 Litres	13 Litres	13 Litres
Fuel Level Gauge	Yes	Yes	Yes
Fuel Shutoff Valve (Independent)	Yes	Yes	Yes
Run Time @ 700 Watts	19 Hours	20 Hours	20.5 Hours
Run Time @ 2,800 Watts	7.5 Hours	7.1 Hours	Not Stated
Noise Level @ 700 Watts (7 m)	52 dB(A)	52 dB(A)	51 dB(A)
Noise Level @ 2,800 Watts (7 m)	62 dB(A)	65 dB(A)	57 dB(A)
Warranty (Domestic Use) *	2 Years	4 Years Δ	4 Years
Warranty (Commercial Use) *	1 Year	1 Year	1 Year
Recommended Retail Price	\$2,939	\$4,499	\$4,785

* Conditions apply.

Δ To qualify, the generator must be serviced for the entire warranty period by an authorised dealer.

Source: Manufacturers' websites as at 16 January 2023.

Power - when you need it - where you need it

westinghouseoutdoorpower.com.au